

Presented at the COMSOL Conference 2010 Boston



Mixers and pumps for microfluidic devices, using conducting polymers

Karthik Kannappan

Gib Bogle Jadranka Travas-Sejdic David Williams



Microfluidics

- It is the science and technology of systems that process or manipulate small (10⁻⁹ to 10⁻¹⁸ litres) amounts of fluids, using channels with dimensions of tens to hundreds of micrometres.
- Microfluidic systems offers lot of advantages and has the potential to influence various fields such as medical diagnostics ,chemical synthesis, cell culture , optics and information technology. [1]
- Incorporating mixers and pumps into these systems is still a bottleneck in the fabrication process.





^{1.}G.M. Whitesides, Nature-442(2006).

^{2 .}A rapid method for prototyping paper-based microfluidic devices, George M. Whitesides et al, 2009.

^{3.} Long-term monitoring of bacteria undergoing programmed population control in a microchemostat, Balagaddé, F. K et al 2005

Micropumps

Most of the existing micropumps and micromixers are difficult to include in microfluidic fabrication process





 Our aim is to design a micropump that's simple and will be easier to include in microfabrication steps.

^{1.} TITAN: a conducting polymer based microfluidic pump, Y Wu et al, 2005

^{2.} A micropump driven by a polypyrrole-based conducting polymer soft actuator, Yoshitaka Naka et al, 2009



- When conducting polymers switch between oxidized and reduced state, the conductivity, color and volume undergo significant changes.
- This is due to the ion movement into and out of the polymer from the electrolyte.
- It has been reported that Polypyrrole undergoes up to 120% volume change.
- Thus CP's are attractive materials for inducing fluid movement in microchannels

Oxidation wave

- Tezuka et al. in 1991 reported an oxidation wave phenomenon in conducting polymers
- When anodic potential is applied to one end of a polymer strip, the oxidation process starts from that end and propagates as a wave.
- This oxidation wave will be coupled with a mechanical deformation.







 Determine under what conditions electrically-stimulated mechanical surface waves can be triggered at ECP- electrolyte interface



Oxidation wave modelling -results







- Comsol mutiphysics finite element solver was used to solve the equations
- Moving mesh [ALE] was used to move the boundary to simulate the oxidation wave.



Micropump



^{×10&}lt;sup>-4</sup> Min: 2.63e-47

Design of a micro-pump



Micro-mixer design



Design of a micro-mixer



Summary

 A propagating wave of deformation of an electrochemically-active conducting polymer can be launched along a polymer strip as a consequence of the electrochemical reaction.

The shape of the wave front and its velocity depend upon the relative conductivities of the electrolyte and of the polymer in its oxidised and reduced states.

A micro-pump and a micro-mixer can be designed that utilises this phenomenon

Future Work Experimental verification of the model. Build a working device !!!.





Thank you